

CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 1 of 12

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **CC3521**

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: General purpose cleaner
Use pattern: Professional Use Only
Restriction on use: None known

Chemical family : Mixture

Name, address, and telephone number of the supplier:

CEDA Industrial Services LP

2130 121 Avenue NE
Edmonton, AB,
T6S 1B1

Supplier's Telephone # : 780-472-6766

24 Hr. Emergency Tel # : 780-472-6766

Name, address, and telephone number of the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Straw coloured liquid. Alcohol odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Corrosive to Metals - Category 1

Skin Corrosion/Irritation - Category 1

Eye Damage/Irritation - Category 1

Specific target organ toxicity, single exposure - Category 3 respiratory tract irritation

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

May be corrosive to metals.

Causes severe skin burns and eye damage.

May cause respiratory irritation.



CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 2 of 12

SAFETY DATA SHEET

Precautionary statement(s)

Keep only in original container.
Do not breathe mist.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/clothing and eye/face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Immediately call a POISON CENTER or doctor/physician.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Absorb spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Burning produces obnoxious and toxic fumes. Chronic skin contact with low concentrations may cause dermatitis.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Sodium xylenesulfonate	Sodium dimethylbenzene sulfonate	1300-72-7	1.0 - 5.0
Dipropylene glycol methyl ether	DPGME	34590-94-8	1.0 - 5.0
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C6-12-alkyl ethers, phosphates	Phosphate Ester	68921-24-4	1.0 - 5.0
Sodium metasilicate	Sodium silicate	6834-92-0	1.0 - 5.0
sodium hydroxide	Caustic soda	1310-73-2	1.0 - 5.0
Sodium phosphate, tribasic	Trisodium phosphate	10101-89-0	1.0 - 5.0
Nonylphenol ethoxylate	Nonylphenol polyethylene glycol ether	127087-87-0	0.1 - 1.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Seek immediate medical attention/advice.
- Inhalation* : Immediately remove person to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Seek immediate medical attention/advice.



CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 3 of 12

SAFETY DATA SHEET

Skin contact : Wear appropriate protective equipment. Remove/Take off immediately all contaminated clothing. Immediately flush skin with gently flowing, running water for at least 20 minutes. Do not rub area of contact. Obtain medical attention immediately. Wash contaminated clothing before reuse. Contaminated leather may require disposal.

Eye contact : Wear appropriate protective equipment. Protect unharmed eye. If in contact with eyes, immediately flush eyes with running water for at least 20 minutes. If contact lens is present, DO NOT delay flushing or attempt to remove the lens until flushing is done. Obtain medical attention immediately.

Most important symptoms and effects, both acute and delayed

: Causes severe skin irritation. Symptoms may include redness, blistering, pain and swelling. Causes serious eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may cause severe burns to the mucous membranes of the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations and bleeding.

Indication of any immediate medical attention and special treatment needed

: Immediate medical attention is required. Causes chemical burns. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Use water spray with caution. Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Not considered flammable. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Phosphorus oxides. Sodium oxides.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Use water to cool fire-exposed containers. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.



CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 4 of 12

SAFETY DATA SHEET

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

: Remove all sources of ignition. Ventilate area of release. Stop the spill at source if it is safe to do so. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
 US CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe fumes or mists. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat and flame. Keep away from incompatibles. Keep containers tightly closed when not in use.

Conditions for safe storage

: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Do not freeze. Store in corrosion-resistant containers. Avoid contact with aluminum.

Incompatible materials

: Water; Metals (e.g. tin, aluminum, zinc and alloys containing these metals) Strong oxidizers (e.g. Chlorine, Peroxides, etc.), acids (e.g. sulfuric acid, nitric acid), caustics. Amines Alcohols

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
	Sodium xylenesulfonate	N/Av	N/Av	N/Av
Dipropylene glycol methyl ether	100ppm (skin)	150ppm (skin)	100ppm (skin)	N/Av
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C6-12-alkyl ethers, phosphates	N/Av	N/Av	N/Av	N/Av
Sodium metasilicate	N/Av	N/Av	N/Av	N/Av
sodium hydroxide	2 mg/m ³ (Ceiling)	N/Av	2 mg/m ³	N/Av
Sodium phosphate, tribasic	N/Av	N/Av	N/Av	N/Av
Nonylphenol ethoxylate	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures

CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 5 of 12

SAFETY DATA SHEET

- Respiratory protection** : Use only in well-ventilated areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.
: Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. A self contained breathing apparatus should be used in emergency situations or instances where exposure levels are not known. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.
- Skin protection** : Wear protective gloves/clothing. Advice should be sought from glove suppliers.
- Eye / face protection** : Wear eye/face protection. Safety glasses with side-shields or chemical splash goggles.
- Other protective equipment** : An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.
- General hygiene considerations** : Do not breathe fumes or mists. Do not ingest. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : Straw coloured liquid.
- Odour** : Alcohol odour.
- Odour threshold** : Not applicable.
- pH** : 12-13
- Melting/Freezing point** : 0-5°C
- Initial boiling point and boiling range** : Not available.
- Flash point** : Does not burn
- Flashpoint (Method)** : Not applicable.
- Evaporation rate (BuAe = 1)** : Not available.
- Flammability (solid, gas)** : Not applicable.
- Lower flammable limit (% by vol.)** : Not applicable.
- Upper flammable limit (% by vol.)** : Not applicable.
- Oxidizing properties** : None known.
- Explosive properties** : Not explosive
- Vapour pressure** : Not available.
- Vapour density** : Not available.
- Relative density / Specific gravity** : 1.048
- Solubility in water** : Soluble
- Other solubility(ies)** : Not available.
- Partition coefficient: n-octanol/water or Coefficient of water/oil distribution** : Not available.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.
- Volatiles (% by weight)** : Not available.
- Volatile organic Compounds (VOC's)** : Not available.



CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 6 of 12

SAFETY DATA SHEET

Absolute pressure of container

: Not available.

Flame projection length

: Not available.

Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive. May be corrosive to metals. Contact with most metals will generate flammable hydrogen gas.

Chemical stability : Material is stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid

: Avoid heat and open flame. Keep away from incompatibles. Keep container tightly closed when not in use. Avoid contact with water.

Incompatible materials

: Water Metals, Strong acids. Alcohols. Amines. Strong oxidizers.

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

Sign and symptoms ingestion

: May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.

Sign and symptoms skin

: Causes skin burns. Symptoms may include redness, blistering, pain and swelling.

Sign and symptoms eyes

: Causes serious eye damage. Symptoms may include redness, pain, tearing and conjunctivitis. Permanent eye damage including blindness could result.

Potential Chronic Health Effects

: Chronic skin contact with low concentrations may cause dermatitis.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 7 of 12

SAFETY DATA SHEET

Specific target organ effects : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) May cause respiratory irritation.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: Not available.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Sodium xylenesulfonate	> 6.41 mg/L (aerosol) (No mortality)	7200 mg/kg	> 2000 mg/kg (No mortality)
Dipropylene glycol methyl ether	>3mg/L	5120mg/kg	9480mg/kg
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C6-12-alkyl ethers, phosphates	N/Av	N/Av	N/Av
Sodium metasilicate	> 2.06 mg/L (mist) (No mortality)	1152 - 1349 mg/kg	> 5000 mg/kg
sodium hydroxide	N/Av	N/Av	N/Av
Sodium phosphate, tribasic	N/Av	7400 mg/kg	N/Av
Nonylphenol ethoxylate	N/Av	960 - 3980 mg/kg	> 2000 - 2911 mg/kg

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. Toxicity is primarily associated with pH.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC₅₀ / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Sodium xylenesulfonate	1300-72-7	> 400 mg/L (Fathead minnow)	N/Av	None.
Dipropylene glycol methyl ether	34590-94-8	>10000mg/L (Fathead minnow)	N/Av	None.
Sodium metasilicate	6834-92-0	260 - 310 mg/L (Rainbow trout)	N/Av	None.
sodium hydroxide	1310-73-2	125 mg/L (Mosquito fish)	N/Av	None.
Nonylphenol ethoxylate	127087-87-0	2.5 - 12.5 mg/L (Fathead minnow)	N/Av	None.



CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 8 of 12

SAFETY DATA SHEET

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Sodium xylenesulfonate	1300-72-7	> 408 mg/L (Daphnia magna)	N/Av	None.
Dipropylene glycol methyl ether	34590-94-8	1919mg/L (Daphnia magna)	0.5mg/L (Daphnia magna)	None.
Sodium metasilicate	6834-92-0	1700 mg/L (Daphnia magna)	N/Av	None.
sodium hydroxide	1310-73-2	40.4 mg/L (Daphnia magna)	N/Av	None.
Nonylphenol ethoxylate	127087-87-0	2.57 - > 100 mg/L (Daphnia magna)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Sodium xylenesulfonate	1300-72-7	230 mg/L/96hr (Green algae)	> 230 mg/L/96hr	None.
Dipropylene glycol methyl ether	34590-94-8	>969mg/L (Green algae)	969mg/L (Green algae)	None.
Sodium metasilicate	6834-92-0	> 345 mg/L/72hr (Green algae)	160 mg/L/72hr	None.
sodium hydroxide	1310-73-2	N/Av	N/Av	None.
Nonylphenol ethoxylate	127087-87-0	12 - 50 mg/L/96hr (Green algae)	N/Av	None.

Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Sodium xylenesulfonate (CAS 1300-72-7)	- 3.12	
Dipropylene glycol methyl ether (CAS 34590-94-8)	0.0061	<1

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 9 of 12

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
IMDG	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium Hydroxide)	8	II	
IMDG Additional information	Consult the IMDG regulations for exceptions.				
TDG	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide)	8	II	
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass.				
49CFR/DOT	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	8	II	
49CFR/DOT Additional information	May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass.				
ICAO/IATA	UN3266	Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)	8	II	
ICAO/IATA Additional information	Refer to ICAO/IATA Packing Instruction .				

Special precautions for user : None reported by the manufacturer.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 : Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:



CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 10 of 12

SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Sodium xylenesulfonate	1300-72-7	Yes	None.	None.	No	N/Ap
Dipropylene glycol methyl ether	34590-94-8	Yes	None.	N/Ap	Yes	1%
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C6-12-alkyl ethers, phosphates	68921-24-4	Yes	N/Ap	N/Av	No	N/Ap
Sodium metasilicate	6834-92-0	Yes	N/Ap	N/Av	No	N/Ap
sodium hydroxide	1310-73-2	Yes	1000 lb/ 454 kg	N/Av	No	NS
Sodium phosphate, tribasic	10101-89-0	NL	5000 lb final RQ (listed under Sodium phosphate, tribasic); 2270 kg final RQ (listed under Sodium phosphate, tribasic)	N/Av	No	N/Ap
Nonylphenol ethoxylate	127087-87-0	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Corrosive to metals; Skin corrosion ; Serious eye damage; Specific target organ toxicity, single exposure.

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Sodium xylenesulfonate	1300-72-7	No	N/Ap	No	No	No	No	No	No
Dipropylene glycol methyl ether	34590-94-8	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C6-12-alkyl ethers, phosphates	68921-24-4	No	N/Ap	No	No	No	No	No	No
Sodium metasilicate	6834-92-0	No	N/Ap	No	No	No	No	No	No
sodium hydroxide	1310-73-2	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Sodium phosphate, tribasic	10101-89-0	No	N/Ap	Yes	Yes	No	No	Yes	No
Nonylphenol ethoxylate	127087-87-0	No	N/Ap	No	No	No	No	No	No

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product. Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).



CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 11 of 12

SAFETY DATA SHEET

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	<u>CAS #</u>	<u>European EINECs</u>	<u>Australia AICS</u>	<u>Philippines PICCS</u>	<u>Japan ENCS</u>	<u>Korea KECI/KECL</u>	<u>China IECSC</u>	<u>NewZealand IOC</u>
Sodium xylenesulfonate	1300-72-7	215-090-9	Present	Present	(3)-1909	KE-11217	Present	HSR003382
Dipropylene glycol methyl ether	34590-94-8	252-104-2	Present	Present	Present	Present	Present	Present
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C6-12-alkyl ethers, phosphates	68921-24-4	N/Av	Present				Present	
Sodium metasilicate	6834-92-0	229-912-9	Present	Present	(1)-508	KE-12354	Present	HSR003511
sodium hydroxide	1310-73-2	215-185-5	Present	Present	(2)-1972; (1)-410	KE-31487	Present	HSR001547
Sodium phosphate, tribasic	10101-89-0	N/Av	Present	Present	(1)-497	N/Av	Present	HSR003711
Nonylphenol ethoxylate	127087-87-0	500-315-8	Present	Present	(7)-172	KE-26246	Present	HSR003157

SECTION 16. OTHER INFORMATION

Legend

- : ACGIH: American Conference of Governmental Industrial Hygienists
- CA: California
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations
- CSA: Canadian Standards Association
- DOT: Department of Transportation
- EPA: Environmental Protection Agency
- HMIS: Hazardous Materials Identification System
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- IMDG: International Maritime Dangerous Goods
- Inh: Inhalation
- LC: Lethal Concentration
- LD: Lethal Dose
- MA: Massachusetts
- MN: Minnesota
- N/Av: Not Applicable
- N/Av: Not Available
- NFPA: National Fire Protection Association
- NIOSH: National Institute of Occupational Safety and Health
- NJ: New Jersey
- NTP: National Toxicology Program
- OSHA: Occupational Safety and Health Administration
- PA: Pennsylvania
- PEL: Permissible exposure limit
- RCRA: Resource Conservation and Recovery Act
- RI: Rhode Island
- RTECS: Registry of Toxic Effects of Chemical Substances
- SARA: Superfund Amendments and Reauthorization Act
- STEL: Short Term Exposure Limit
- TDG: Canadian Transportation of Dangerous Goods Act & Regulations

CC3521

SDS Preparation Date (mm/dd/yyyy): 02/27/2019

Page 12 of 12

SAFETY DATA SHEET

TLV: Threshold Limit Values
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2018.
- 2. International Agency for Research on Cancer Monographs, searched 2018.
- 3. Canadian Centre for Occupational Health and Safety, CInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists - March 2015 version.
- 6. California Proposition 65 List - November 23, 2018 version.
- 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2018.

Preparation Date (mm/dd/yyyy)

: 02/27/2019

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p><u>Prepared for:</u> CEDA Industrial Services LP 2130 121 Avenue NE Edmonton, AB T6S 1B1 780-472-6766</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by CEDA Industrial Services LP and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and CEDA Industrial Services LP expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process. This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and CEDA Industrial Services LP

END OF DOCUMENT