

# SAFETY DATA SHEET

Issuing Date 21-Jul-2017

Revision Date 25-Jan-2019

**Revision Number** 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier

Product Name E.S. 830

Other means of identification

(M)SDS Number 1396419

Recommended use of the chemical and restrictions on use

**Recommended Use** For industrial use only

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Identification** 

Address CEDA Specialty Services LP

2130-121 Ave. NE

Edmonton, Alberta T6S 1B1

Canada

Telephone (780) 472-6766

E-mail info@cedagroup.com

# 2. HAZARDS IDENTIFICATION

## Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1



Appearance Brown Physical state Paste / Gel Odor Solvent

### GHS Label elements, including precautionary statements

#### **Danger**

#### **Hazard statements**

May cause cancer

Causes damage to organs through prolonged or repeated exposure Causes severe skin burns and eye damage



### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Immediately call a POISON CENTER or doctor

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

## Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTER or doctor

### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

May be harmful if swallowed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance



Not applicable.

#### Mixture

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Kaolin	1332-58-7	40-45	-	-
Proprietary Resin	-	30-35	-	-
Iron	7439-89-6	8-13	-	-
Refractory ceramic fibers	142844-00-6	5-10	-	-
Quartz	14808-60-7	5-10	-	-
Cellulose	9004-34-6	<2	-	-

# 4. FIRST AID MEASURES

First aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention immediately if symptoms occur.

Eye contact Do not rub affected area. IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention

immediately if symptoms occur.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth thoroughly with water. If swallowed, call a poison control center or physician

immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact None.



Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Kaolin	TWA: 2 mg/m³ particulate	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	and <1% crystalline silica,	fraction	
	respirable fraction	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 0.1 mg/m³ (vacated)	IDLH: 50 mg/m³ respirable dust
14808-60-7	fraction		TWA: 0.05 mg/m³ respirable
			dust



Cellulose	TWA: 10 mg/m <sup>3</sup>		TWA: 15	TWA: 15 mg/m³ total dust		TWA: 10 mg/m <sup>3</sup> total dust		
9004-34-6				TWA: 5 mg/m³ respirable		TWA: 5 mg/m3 resp		respirable dust
				fraction				
				(vacated) TWA: 15 mg/m³ total				
					dust			
				(vacated) TWA: 5 mg/m <sup>3</sup>				
				respii	rable fraction			
Chemical Name	A	lberta	British C	Columbia	Ontario TWAE	V		Quebec
Kaolin	TWA	TWA: 2 mg/m <sup>3</sup>		2 mg/m³	TWA: 2 mg/m	3	TWA	A: 5 mg/m <sup>3</sup>
1332-58-7		-						
Quartz	TWA: 0	WA: 0.025 mg/m <sup>3</sup>		TWA: 0.025 mg/m <sup>3</sup> TWA: 0		m³	TWA	: 0.1 mg/m <sup>3</sup>
14808-60-7		-						
Cellulose	TWA: 10 i	mg/m³ TWA: 5	TWA: 1	0 mg/m <sup>3</sup>	TWA: 10 mg/m	า <sup>3</sup>	TWA: 10	mg/m³ TWA: 5
9004-34-6	n	ng/m³	TWA: 3	3 mg/m <sup>3</sup>				mg/m³

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

## Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves. Protective gloves. Viton™. Nitrile rubber. Neoprene gloves. Rubber

gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

Physical state Paste / Gel
Appearance Brown
Odor Solvent
Color Brown
Odor Threshold Not applicable

PropertyValuesRemarks MethodpH6.2None knownMelting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash Point127 °CNone knownEvaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limitNo data availableLower flammability limitNo data available



Vapor pressure Solvent only, mixture not tested: 0.6 None known

kPa (2.2 mmHg) @ 20\*C

Vapor density Solvent only, mixture not tested: 5.5 None known

(air=1)

Relative density 1.32 None known

Water Solubility
Virtually insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water Not Established

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) 6

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

## 10. STABILITY AND REACTIVITY

Reactivity No information available. Chemical

**stability** Stable under normal conditions.

**Possibility of Hazardous Reactions** None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

**Conditions to avoid**None known based on information supplied.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

**Eye contact** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Corrosive to the eyes and may cause severe damage including blindness.

Causes serious eye damage. May cause irreversible damage to eyes.



**Skin contact** Specific test data for the substance or mixture is not available. (based on components).

Prolonged skin contact causes burns. Symptoms may be delayed.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on components) Ingestion causes burns of the upper digestive and respiratory tracts. May

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed.

Information on toxicological effects

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document.

**ATEmix (oral)** 5,000.00 mg/kg

Unknown acute toxicity

No information available

**Component Information** 

Chemical Name	Chemical Name LD50 Oral		Inhalation LC50
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	
Iron	= 30 g/kg (Rat)		
Cellulose	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m <sup>3</sup> (Rat) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Prolonged skin contact causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

Carcinogenicity Classification based on data available for ingredients. Contains a known or suspected

carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Refractory ceramic fibers 142844-00-6	A2	Group 2B	Reasonably Anticipated	Х
Quartz 14808-60-7	A2	Group 1	Known	X

## Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present



Reproductive toxicity No information available.

**STOT - single exposure** No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Iron		96h LC50: = 13.6 mg/L	-	
		(Morone saxatilis)		

Persistence and Degradability No information available.

**Bioaccumulation** There is no data for this product.

MobilityNo information available.Other adverse effectsNo information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

- E.S. 830

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

**IMDG** Not regulated

RID NOT REGULATED

ADR NOT REGULATED



**NOT REGULATED** 

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

# International Inventories

**TSCA** Complies. DSL/NDSL Complies.

**EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status.

**AICS** Complies.

#### Legend

ADN

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**Acute Health Hazard** Yes **Chronic Health Hazard** No Fire Hazard No Sudden release of pressure hazard No **Reactive Hazard** No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**



**California Proposition 65** 

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Refractory ceramic fibers - 142844-00-6	Carcinogen
Quartz - 14808-60-7	carcinogen, 10/1/1988 (airborne particles of respirable size)

### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Kaolin	Χ	X	Χ		
1332-58-7					
Quartz	Х	Х	Х		Х
14808-60-7					
Cellulose	Х	Х	Х	-	X
9004-34-6					

# **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 1 Instability 0 Physical and Chemical

Properties -

Health hazards 3 Flammability 1 Physical hazards 0 Personal Protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 21-Jul-2017

Revision Date 25-Jan-2019

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

