

SAFETY DATA SHEET

Issuing Date 22-Feb-2018

Revision Date 22-Feb-2018

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

	1. IDENTIFICATION	
Product identifier		
Product Name	E.S. HTC	
Other means of identification		
Recommended use of the che	emical and restrictions on use	
Recommended Use	For industrial use only	
Uses advised against	No information available	
Details of the supplier of the	safety data sheet	
Supplier Identification Address	CEDA Specialty Services LP 2130-121 Ave. NE Edmonton, Alberta T6S 1B1 Canada	
Telephone	(780) 472-6766	
E-mail	info@cedagroup.com	
	2. HAZARDS IDENTIFICATION	
Classification		

Skin sensitization	Category 1
Carcinogenicity	Category 1B



Appearance Black Solid

Physical state Solid containing liquid

Odor Petroleum

GHS Label elements, including precautionary statements

Danger

Hazard statements

May cause an allergic skin reaction May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label) Skin

IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Causes mild skin irritation Toxic to aquatic life with long lasting effects

Unknown acute toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity

100 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture



Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Kaolin	1332-58-7	55-60	-	-
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	10-15	-	-
Carbon black	1333-86-4	3-8	-	-
Zinc oxide	1314-13-2	1-5	-	-
N-(Oxydiethylene)benzot hiazole-2-sulfenamide	102-77-2	1-5	-	-

4. FIRST AID MEASURES

First aid measures	
General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Itching. Rashes. Hives.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
		(vacated) TWA: 5 mg/m ³ respirable fraction	
Carbon black 1333-86-4	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic



						arom	natic hydrocarbons PAH
Zinc oxide 1314-13-2		STEL: 10 mg/m ³ fractior TWA: 2 mg/m ³ r fractior	n espirable	TWA: 15 TWA: 5 r (vacated) T (vacated) T (vacated) T (vacated	5 mg/m ³ fume mg/m ³ total dust ng/m ³ respirable fraction WA: 5 mg/m ³ fume WA: 10 mg/m ³ total dust) TWA: 5 mg/m ³ rable fraction STEL: 10 mg/m ³ fume	Co TWA	IDLH: 500 mg/m ³ eiling: 15 mg/m ³ dust : 5 mg/m ³ dust and fume TEL: 10 mg/m ³ fume
Chemical name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Kaolin 1332-58-7	_	FWA: 2 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TWA: 5 mg/m ³
Carbon black 1333-86-4	Т	WA: 3.5 mg/m ³	TWA: 3	3 mg/m³	TWA: 3 mg/m	3	TWA: 3.5 mg/m ³
Zinc oxide 1314-13-2		FWA: 2 mg/m³ TEL: 10 mg/m³		2 mg/m ³ 0 mg/m ³	TWA: 2 mg/m STEL: 10 mg/n		TWA: 10 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³

Other Exposure Guidelines

Engineering controls

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Butyl rubber. Neoprene gloves. Nitrile rubber. Rubber gloves. Viton™.
Skin and body protection	Wear suitable protective clothing. Lightweight protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties Physical state Appearance Odor Color Odor Threshold	Solid containing liquid Black Solid Petroleum No information available Not applicable	
<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	7.1	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known



Flash Point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density **Relative density** Water Solubility Solubility(ies) Partition coefficient: n-octanol/water Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity **Explosive properties Oxidizing properties**

Other Information Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution >300 No data available 1.2 Virtually insoluble No data available Not Established No data available No data available No data available No data available No information available No information available

No information available No information available No information available No information available No information available No information available No information available None known None known None known None known

None known

None known

None known None known None known

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. (based on components). Repeated or prolonged skin contact may cause



allergic reactions with susceptible persons.

Ingestion

Specific test data for the substance or mixture is not available.

Information on toxicological effects

Symptoms

Itching. Rashes. Hives.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity

100 % of the mixture consists of ingredient(s) of unknown toxicity

- 100 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	> 5 g/kg (Rat)	> 5000 mg/kg (Rat)	-
Petroleum distillates, hydrotreated heavy naphthenic	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	-
Carbon black	> 15400 mg/kg(Rat)	> 3 g/kg(Rabbit)	-
Zinc oxide	>5000 mg/kg(Rat)	-	-
N-(Oxydiethylene)benzothiazole -2-sulfenamide	> 10000 mg/kg(Rat)	> 5010 mg/kg(Rabbit)	> 151 mg/L(Rat)1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Classification based on data available for ingredients. Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below mailed be whether back agency has been any ingreaterin as a barelinegen.				
Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	A2	Group 1	Known	Х
Carbon black 1333-86-4	A3	Group 2B	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen



OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy naphthenic	-	96h LC50: > 5000 mg/L (Oncorhynchus mykiss)	-	48h EC50: > 1000 mg/L
Carbon black	-	-	-	24h EC50: > 5600 mg/L
Zinc oxide	Selenastrum capricornutum 72-hour EC50: 0.14 mg/l	Oncorhynchus mykiss 96-hour LC50: 0.14 mg/l	-	Daphnia magna 48-hour EC50: 0.07 mg/l
N-(Oxydiethylene)benzot hiazole-2-sulfenamide	-	96h LC50: = 4.4 mg/L (Lepomis macrochirus) 96h LC50: = 3.5 mg/L (Pimephales promelas) 96h LC50: = 1.3 mg/L (Oncorhynchus mykiss)	-	48h EC50: = 4 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

There is no data for this product.

Chemical name	Log Pow
Petroleum distillates, hydrotreated heavy naphthenic	>6

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste		



Zinc oxide	Toxic
1314-13-2	

14. TRANSPORT INFORMATION

<u>DOT</u> Proper Shipping Name Hazard Class	NOT REGULATED NON-REGULATED N/A
TDG	NOT REGULATED
MEX	NOT REGULATED
ICAO	NOT REGULATED
IATA Proper Shipping Name	NOT REGULATED NON REGULATED
IMDG/IMO	NOT REGULATED
RID	NOT REGULATED
ADR	NOT REGULATED
ADN	NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Complies.

Legend

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Zinc oxide - 1314-13-2	1314-13-2	1-5	1.0
Acute Health Hazard Chronic Health Hazard Fire Hazard	Yes Yes No		
Sudden release of pressure hazard Reactive Hazard	No No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide 1314-13-2		Х		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusett s	Pennsylvania	Rhode Island	Illinois
Kaolin 1332-58-7	Х	Х	Х	Х	
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5					Х
Carbon black 1333-86-4	X	Х	Х		Х
Zinc oxide 1314-13-2	X	Х	Х	Х	

16. OTHER INFORMATION				
<u>NFPA</u>	Health hazards 2	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS Chronic Hazard Star Leg	Health hazards 2 * end *= Chronic	Flammability 0 Health Hazard	Physical hazards 0	Personal Protection X



Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Issuing Date	22-Feb-2018
Revision Date	22-Feb-2018
Revision Note	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

